Revision: 03/14/2017 Supersedes Revision: 10/24/2016

	1. Product and Company Ident	ification
Product Code:	00073R03142017	
Product Name: Company Name:	Twin-Chem NO ODOR MASTIC REMOVER TWIN-CHEMICALS, INC 6175 Hickory Flat Highway Suite 100-244 Canton, GA 30115	Phone Number: (800)442-4958
Web site address:	www.twinchemicals.com	
Email address:	sales@twinchemicals.com	
Emergency Contact: Information:	CERTS (emergency only) Sales & Information	(800)552-3787 (800)442-4958

2. Hazards Identification

Flammable Liquids, Category 4 Acute Toxicity: Skin, Category 4 Skin Corrosion/Irritation, Category 2 Aspiration Toxicity, Category 1 Acute Toxicity: Inhalation, Category 4 Acute Toxicity: Oral, Category 4 Serious Eye Damage/Eye Irritation, Category 2A Aquatic Toxicity (Chronic), Category 2 Aquatic Toxicity (Acute), Category 2



GHS Signal Word:	Danger
GHS Hazard Phrases:	H227 - Combustible liquid.
	H302+312+332 - Harmfull if swallowed, in contact with skin or if inhaled.
	H304 - May be fatal if swallowed and enters airways.
	H312+332 - Harmfull in contact with skin or if inhaled.
	H315 - Causes skin irritation.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
GHS Precaution Phrases:	P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking.
	P261 - Avoid breathing mist/vapours/spray.
	P264 - Wash hands thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection.
GHS Response Phrases:	P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
	P302+352 - IF ON SKIN: Wash with plenty of soap and water.
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Call a poison control center
	or physician for treatment advice. Have product container or label with you when calling
	poison control center or physician.
	P330 - Rinse mouth.

Revision: 03/14/2017 Supersedes Revision: 10/24/2016

		P337+313 - If eye irritation	occurs, get medical advice/attention. persists, get medical advice/attention. ed clothing and wash before re-use.		
		P370+378 - In case of fire, extinguish.	use water fog, dry chemical, carbon dioxide, or foam to		
GHS Storage Phrases:	e and Disposal	P403+235 - Store in cool/well-ventilated place. P405 - Store locked up.			
		-	/container to a waste facility according to local regulations.		
Potential Heat (Acute and C		Prolonged or repeated skin	contact may cause defatting and dermatitis.		
	, monicj.	•	Chronic: May cause liver and kidney damage. Sophisticated modeling has clearly proven that 2-butoxyethanol does not build up in the body under any kinds of normal use.		
damag		Harmful if inhaled. May cause narcotic effects in high concentration. May cause lung damage. May cause central nervous system effects such as nausea and headache. Material is irritating to mucous membranes and upper respiratory tract.			
Skin Contact	t:	testing with human voluntee recommended by ACGIH, b pharmacokinetic models wh	es symptoms similar to those of inhalation. Skin sensitization ers produced negative results. A skin notation is not based on estimates from physiologically based hich indicate that, even in worst-case dermal-exposure is not absorbed in amounts sufficient to cause red blood cell cause skin irritation.		
Eye Contact:	:	Causes redness and pain.	Causes severe eye irritation.		
Ingestion:		Aspiration hazard. May cau cause gastrointestinal irritat	se irritation of the digestive tract. Harmful if swallowed. May ion with nausea, vomiting and diarrhea. Prolonged or use allergic reactions in certain sensitive individuals.		
	3.	Composition/Infor	mation on Ingredients		
CAS #	Hazardous Com	oonents (Chemical Name)	Concentration		
64742-47-8	Hydrotreated light	distillate (petroleum)	80.0 -90.0 %		
111-76-2	Ethanol, 2-Butoxy Glycol Ether EB}	- {Ethylene glycol n-butyl ether,	10.0 -15.0 %		
9016-45-9	Poly(oxy-1,2-etha	nediyl),	3.0 -6.0 %		

.alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol

Ethoxylate}

	4. First Aid Measures
Emergency and First Aid	
Procedures:	
In Case of Inhalation:	If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid immediately. Remove from exposure and move to fresh air immediately.
In Case of Skin Contact:	In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.
In Case of Eye Contact:	In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes. Get medical aid immediately.
In Case of Ingestion:	Potential for aspiration if swallowed. Get medical aid immediately. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, have victim lean forward. Call a poison control center. If swallowed, wash out mouth with water provided person is conscious. Call a physician.
Signs and Symptoms Of	Exposure can cause: Nausea, headache, and vomiting.
Exposure:	
Note to Physician:	None known.
	5. Fire Fighting Measures
Flash Pt:	79.00 C Method Used: Cleveland Open Cup
Explosive Limits:	LEL: 0.6 UEL: 7.0
Autoignition Pt:	> 231.00 C
Suitable Extinguishing Media	a:Use water spray, dry chemical, carbon dioxide, or appropriate foam. Suitable:
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Will burn if involved in a fire. Combustible liquid and vapor. Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s):
Flammable Properties and Hazards:	No data available.
Hazardous Combustion	No data available.
Products:	
	6. Accidental Release Measures
Protective Precautions, Protective Equipment and Emergency Procedures:	Hand: Compatible chemical-resistant gloves. Always use a NIOSH or European Standard EN 149 approved respirator when necessary. Eye protection is recommended.
Environmental Precautions:	Do not discharge directly into the environment or into the sewer system.
Steps To Be Taken In Case	Use proper personal protective equipment as indicated in Section 8.
Material Is Released Or Spilled:	Spills/Leaks: Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Provide ventilation. Do not let this chemical enter the environment. PROCEDURE(S) OF PERSONAL PRECAUTION(S) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Methods for cleaning up. Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

				Supersed	les Revision: 10/24/2016	
		7. Ha	Indling and St	orage		
Precautions To Be Taken in Handling:		Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Keep away from heat, sparks and flame. Do not ingest or inhale. User Exposure: Do not breathe vapor.				
Precautions Storing:	To Be Taken in	Keep away from sources of ignition. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.				
	8	. Exposure C	ontrols/Perso	onal Protection		
CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits	
64742-47-8	Hydrotreated light	t distillate (petroleum)	No data.	TLV: 200 mg/m3	No data.	
111-76-2	Ethanol, 2-Butoxy n-butyl ether, Gly	 {Ethylene glycol col Ether EB} 	PEL: 50 ppm	TLV: 20 ppm	No data.	
9016-45-9	.alpha(nonylphe	r(oxy-1,2-ethanediyl), No data. No data. No data. No data. ha(nonylphenyl)omegahydr nylphenol Ethoxylate}				
Personal Pro Equipment S		❤ ₩	20			
Respiratory Equipment (Specify Type):Follow the OSHA respirator regulations found in 29 CFR 1910.134 or Europea Standard EN 149. Where risk assessment shows air-purifying respirators are use a full-face respirator with multi- purpose combination (US) or type ABEK (respirator cartridges as a backup to engineering controls. Hand: Compatible chemical-resistant gloves.			irators are appropriate vpe ABEK (EN 14387)			
Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described OSHA's eye and face protection regulations in 29 CFR 1910.133 or European S EN166. Chemical safety goggles.						
Protective G	loves:	Wear appropriate protective gloves to prevent skin exposure.				
Other Protective Clothing:		Wear appropriate protective clothing to prevent skin exposure.				
Engineering ControlsFacilities storing or utilizing this material show(Ventilation etc.):a safety shower. Use adequate ventilation to explosion-proof ventilation equipment. Use of shower and eye bath.		tion to keep airborne concen	trations low. Use			
Work/Hygien Practices:	nic/Maintenance	Wash thoroughly a	after handling.			

	9. Physical and Chemical Properties
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	Clear liquid.
	solvent odor.
pH:	NP
Freezing Point:	< -70.00 C
Boiling Point:	210.00 C - 288.00 C
Flash Pt:	79.00 C Method Used: Cleveland Open Cup
Evaporation Rate:	> 5 (BuAC=1)
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: 0.6 UEL: 7.0
Vapor Pressure (vs. Air or mm Hg):	.05 MM_HG
Vapor Density (vs. Air = 1):	NA
Specific Gravity (Water = 1):	0.800 - 0.820 at 20.0 C
Density:	NP
Solubility in Water:	Nil
Saturated Vapor	NA
Concentration:	
Octanol/Water Partition	No data.
Coefficient:	
Percent Volatile:	> 94.0 % by weight.
Autoignition Pt:	> 231.00 C
Decomposition Temperature	
Viscosity:	Water thin
	10. Stability and Reactivity
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	ignition sources, Incompatible materials.
-	Strong acids. Strong bases, Oxidizing agents.
Avoid:	
Hazardous Decomposition of Byproducts:	r Carbon monoxide, oxides of sulfur.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

		11. Toxicological Inf	ormatic	on		
Toxicological	Information:	Epidemiology: No information found. Teratogenicity: No information availa Neurotoxicity:	ble. Reproc	ductive Effect	s: Mutagenic	ity:
Carcinogenic Information:	ity/Other	CAS# 64742-47-8: Not listed by ACC ACGIH: A3 - Confirmed animal carcin California: Not listed. NTP: Not listed. IARC: Not listed.			•	
CAS #	Hazardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
64742-47-8	Hydrotreated ligh	nt distillate (petroleum)	n.a.	n.a.	A4	n.a.
111-76-2	Ethanol, 2-Butox Ether EB}	y- {Ethylene glycol n-butyl ether, Glycol	n.a.	3	A3	n.a.
9016-45-9	9016-45-9 Poly(oxy-1,2-ethanediyl), n.a. n.a. n.a. n.a. n.a. n.a. n.a. n.a				n.a.	
		12. Ecological Info	rmation			
Information:		an estimated Koc value of 67,, detern recommended regression-derived ec- ether is expected to have high mobili calculated for ethylene glycol mono-r and a recommended regression-deriv classification scheme, this BCF value organisms is low. Physical: No information found. Other: An estimated BCF value of 2.3 ethylene glycol mono-n-butyl ether b according to a recommended classifi	uation, indi ty in soil. A h-butyl ethe ved equation suggests 5,, from an foconcentra	icates that et n estimated f r, using an e on. According that bioconce experimental ation in aquat	hylene glycol BCF value of xperimental lo to a recommentation entration in ac log Kow, sug ic organisms	mono-n-butyl 2.5 was og Kow of 0.83 lended quatic ggests that
		13. Disposal Consid	leration	S		
Waste Dispos	sal Method:	Chemical waste generators must det as a hazardous waste. US EPA guid in 40 CFR Parts 261. Additionally, wa hazardous waste regulations to ensu RCRA P-Series: None listed. RCRA U-Series: None listed. Empty sanitary waste. Do not reuse contain service to dispose of this material. Di solvent and burn in a chemical incine	elines for th aste genera re complete container n er. Contact ssolve or n	ne classification ators must co e and accura nay be recycl a licensed p nix the materi	on determina nsult state an te classificatio ed or dispose rofessional w al with a com	tion are listed ad local on. ed of as solid aste disposal ibustible
		14. Transport Info	mation			

Revision: 03/14/2017 Supersedes Revision: 10/24/2016

LAND TRAN	SPORT (US DOT):					
DOT Prop	per Shipping Name:	Environmentally hazardou (applies to single container smaller containers are no NOT REGULATED FOR	ers of more than t regulated)	119 gallons -		
DOT Haza UN/NA Na	ard Class: umber:					
LAND TRAN	SPORT (Canadian T	DG):				
TDG Shipping Name:		Environmentally hazardous substance, liquid, n.o.s (applies to single containers of more than 119 gallons - smaller containers are not regulated)				
AIR TRANSF	PORT (ICAO/IATA):					
ICAO/IAT	A Shipping Name:	Non-Hazardous for Air Tr	ansport: Non-haz	zardous for air tra	nsport.	
		15. Regulatory	y Informatio	on		
EPA SARA (S	uperfund Amendment	s and Reauthorization Act o	f 1986) Lists			
CAS # 64742-47-8	Hazardous Compon Hydrotreated light dis	ents (Chemical Name) tillate (petroleum)	S. 302 (EHS) No	S. 304 RQ No	S. 313 (TRI) No	
111-76-2	Ethanol, 2-Butoxy- {E Glycol Ether EB}	Ethylene glycol n-butyl ether,	No	No	Yes-Cat. N230	
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydr {Nonylphenol Ethoxylate}		No	No	No	
CAS #	Hazardous Compon	ents (Chemical Name)	Other US EPA o	r State Lists		
64742-47-8	4742-47-8 Hydrotreated light distillate (petroleum)		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}		CAA HAP,ODC: Yes - Cat.; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
9016-45-9 Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydr {Nonylphenol Ethoxylate}			No; CWA NPDES: IR, 12(b); CA PRC			

16. Other Information

Revision Date:

03/14/2017

Hazard Rating System:

HEALTH	1
FLAMMABILITY	2
REACTIVITY	
PPE	I

HMIS:

Additional Information About No data available.

This Product:

Company Policy or Disclaimer: THE INFORMATION CONTAINED HEREIN is based upon available information at the time of preparation and is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that the information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or any other user proximately caused by the material if misused or if reasonable safety procedures are not adheared to as stipulated in the data sheet and on the product label. Furthermore, vendor assumes no responsibility for injury or damage caused by

Revision: 03/14/2017 Supersedes Revision: 10/24/2016

abnormal use of this material even if reasoinable safety measures are followed.